



**PRINTGRAPH®**

# Finito® Gold


## Main application

### Narrow Web Hot Stamping

**Finito® Gold** is a special Blanket “Hot Stamping” application. The construction of the product gives a high resistance to pressure and temperature. Finito® Gold is very well appreciated for its mechanical resistance and for the elasticity which help the right transfer of the Foil also on Uncoated paper.

## Key Performance

- High Mechanical resistance
- Low static electricity
- Ideal for coated and uncoated paper
- Easy to install
- Very Flexible



## Finito® Gold - Data sheet

CONSTRUCTION	2 ply blanket coupled to an elastomeric layer
PRINTING SURFACE	Ultra-fine glass beads coating
SURFACE HARDNESS (Shore A) S	90
TOP SURFACE COLOR	Black
BOTTOM HARDNESS (Shore A)	75
BOTTOM COLOR	Gold
TOTAL THICKNESS	1.15 ± 0.02
ADDITIONAL INFORMATION	
APPLICATIONS	Coated and Uncoated paper

**FOR ANY FURTHER DETAILS AND FOR A QUOTATION PLEASE REFER TO YOUR SALES MANAGER OR EMAIL US AT: [INFO@PRINTGRAPH.IT](mailto:INFO@PRINTGRAPH.IT)**

**[www.printgraph-group.com](http://www.printgraph-group.com)**

The information contained in this document is intended to provide guidance. The information is NOT a specification and all figures in the document are nominal. This document and the information it contains do not create any warranties for any product and Printgraph Group disclaims any warranty of merchantability or fitness for a particular purpose for the product described in this document. This document discloses information that is proprietary to Printgraph Group. The receipt or possession of the document does not confer any right to reproduce or disclose the document, any information contained in it, or any physical article or device, or to practice any method or process except by written agreement with Printgraph Group. Printgraph Group is committed to the ongoing development of its products. For that reason, Printgraph Group reserves the right to alter the actual specifications of its products without prior notice.